

P/AM *OVE*



FASTER EFFORTLESS
CONCRETE CHIPPING

AVERAGE PRODUCTION BOOST UP TO 4X

PATENT CA # 2 415 330 USA # US6 752221B1

**FASTER AND EFFORTLESS CONCRETE CHIPPING
FOR OVERHEAD AND VERTICAL SURFACES
AVERAGE PRODUCTION BOOST UP TO 4X**

**ELIMINATES HAMMER WEIGHT, VIBRATION
AND DEAD BLOWS**

**PATENTED TECHNOLOGY OFFERING
UNRIVALED RESULTS**


**EASY TO USE, LOW MAINTENANCE
AND EASILY TRANSPORTED**

**POSSIBLE TO INSTALL ANY KIND
OF HAMMERS, ROCK DRILLS
AND HYDRO-DEMOLITION LANCES**



PARKING GARAGE


MOTION RANGE




FEATURES & SPECIFICATIONS

- Mount 15 lb (7kg) chipping hammer, 35 lb (16 kg) rivet buster, 65 lb (29kg) paving breaker (optional), rock drills, hydro-demo lances and other tools
- Designed to push the tool against the surface, eliminating dead blows
- Water nozzle for dust control
- Air powered over hydraulic and electric
- 96° swing lock hydraulic knuckle boom


INFRASTRUCTURE





CHIMNEY AND STACK

TOP VIEW



EXPERT CHOICE AWARD
DEMOLITION & REPAIR 2008



PROUD MEMBER OF:



- 4 caster wheels and 2 removable 21" (53 cm) wheels
- 3 outriggers for stability
- Fingertip controls
- Unit air consumption of 25 CFM (700 l/min) @ 90 psi (620 kPa)
- Total weight without tool of 1150 lbs (525 Kg)
- Frame size 31 1/2" X 72" (80 cm x 183 cm) without removable wheels
- Self-contained, no harmful emissions



DRILLING



MASONRY DEMOLITION



CALL FOR
A DEMO
888 697 5355

SEE MORE AT **RNPIND.COM**



RNP
INDUSTRIES

112 Prévost Blvd.
Boisbriand, (Quebec) Canada
J7G 2S2

Toll free: 1 888 697-5355
Email: info@rnpind.com
Tel.: (450) 437-5355
Fax: (450) 437-2651

WWW.RNPIND.COM